


REV.	Q'TY	ECN. NO.	APR.	DATE
B		RD-EN-12-116		2012.12.20

NOTES:

- MATERIAL:
 - 1-1 HOUSING:THERMOPLASTIC,UL 94V-0, COLOR:BLACK
 - 1-2 CONTACT:COPPER ALLOY T=0.10mm
 - 1-3 NAIL : STAINLESS STEEL,T=0.15mm
- FINISH:
 - 2-1 CONTACT:GOLD FLASH PLATING ON CONTACT AREA(SEE P/N) 100u"MIN Tin PLATING ON SOLDERTAILS 50u"MIN.NICKEL UNDERPLATING OVER ALL
 - 2-2 NAIL: 50u"MIN NICKEL UNDERPLATING, 100~200u" TIN OVERALL
- PRODUCT SPECIFICATIONS:
 - 3-1 VOLTAGE RATING: 250V
 - 3-2 CURRENT RATING: 2.0A
 - 3-3 INSULATION RESISTANCE: 1000MEG.OHM MIN
 - 3-3 CONTACT RESISTANCE: 30 MILL.OHM MAX
 - 3-4 OPERATION TEMPERATURE: -55°C TO +125°C
 - 3-5 DURABILITY: 3000 CYCLES,AFTER TEST.THE NORMAL FORCE ATTENUATION CANNOT EXCEED 15 %
 - 3-6 NORMAL FORCE: 90gf MIN AT THE WORKING POSITION , AFTER DURABILITY THE NORMAL FORCE 70g MIN.
- PART NO:

PAN30-03123-XX00XX




DIMENSION IN mm		TOLERANCE UNLESS OTHERWISE SPECIFIED		TITLE: 3PIN 3.0 PITCH BATTERY CONN.	
.X±0.35	X.*± 5'	APR.		DWG NO. PAN30-03123-S100	
.XX±0.25	.X.*± 3'	CHK.		CUSTOMER DRAWING	
.XXX±0.15	.XX.*± 1'	DRA. JunHuaTan	2012.12.20	PROJ.	SCALE 6:1 SHEET 1/3 REV. B




REV.	Q'TY	ECN. NO.	APR.	DATE
B		RD-EN-12-116		2012.12.20

※CAUTION





GUIDE LINE OF BATTERY PACK INSERTION



DIMENSION IN mm		LCN Shenzhen Linkconn Electronics Co.,Ltd.		
TOLERANCE UNLESS OTHERWISE SPECIFIED				
.X \pm 0.35	X.* \pm 5'	APR.	TITLE: 3PIN 3.0 PITCH BATTERY CONN.	
.XX \pm 0.25	.X.* \pm 3'	CHK.	DWG NO. PAN30-03123-S100	
.XXX \pm 0.15	.XX.* \pm 1'	DRA. JunHuaTan 2012.12.20	PROJ.	CUSTOMER DRAWING
		SIZE A4	SCALE 6:1	SHEET 2/3
				REV. B



REV.	Q'TY	ECN. NO.	APR.	DATE
B		RD-EN-12-116		2012.12.20



1	PAN30-03123-S100	2000	10	10.35	20000	330X340X340
2	PAN30-03123-S10001	2000	10	10.35	20000	330X340X340
ITEM	PRODUCT NO	QTY/REEL	REEL/CARTON	Kg/CARTON	QTY/CARTON	CARTON SIZE

DIMENSION IN mm		Shenzhen Linkconn Electronics Co.,Ltd.	
TOLERANCE UNLESS OTHERWISE SPECIFIED			
.X±0.35	X.*± 5°	APR.	TITLE: 3PIN 3.0PITCH BATTERY CONN.
.XX± 0.25	.X.*± 3°	CHK.	DWG NO. PAN30-03123-S100
.XXX±0.15	.XX.*±1°	DRA. JunHuaTan 2012.12.20	PROJ. CUSTOMER DRAWING
		SIZE A4	SCALE 2:1
		SHEET 3/3	REV. B